



Comments on the Columbus Waste-to-Energy Site

Matt Lorber

National Center for Environmental Assessment
United States Environmental Protection Agency

EPA Regional/ORD Workshop on Air Toxics Exposure
Assessment

June 25 - 27, 2002
San Francisco, CA



Overview


- † "How do you use monitoring and modeling tools in your areas of expertise and how can these tools be used to support exposure assessment at various geographic scales?"
- † Applications:
 - Stack monitoring/modeling: Risk Assessment in support of regulations - See Thursday Talk on Multipathway Assessment
 - Monitoring including stack, ambient air, ash, and soil: evaluation of the relationship between stack emissions and environmental impacts
 - Monitoring and modeling: model validation
- † Context
 - Dioxin Reassessment
 - Dioxin Exposure Initiative
 - Regional Support on Dioxin Issues

X Columbus WTE Facility
A Air Sampling Locations
River
Road



Soil Samples


- ☒ Off-site
- Urban
- Urban background







○ 1 km radius circle around WTE facility




Ohio, USA







Relationship between stack emissions and soil profiles of dioxin






Relationship between stack emissions and air profiles of dioxin





ISC3 Model Validation




TCDD, on-site met data

TCDD, airport met data







ISC3 + Deposition Soil Model Validation



TCDD, observed, ppt



TCDD, '92 stack test, ppt



TCDD, '94 stack test, ppt